

(12) International Application Status Report

Received at International Bureau: 20 September 2017 (20.09.2017)

Information valid as of: 20 February 2019 (20.02.2019)

Report generated on: 20 July 2019 (20.07.2019)

(10) Publication number:

WO2019/049349

(43) Publication date:

14 March 2019 (14.03.2019)

(26) Publication language:

Japanese (JA)

(21) Application Number:

PCT/JP2017/032588

(22) Filing Date:

08 September 2017 (08.09.2017)

(25) Filing language:

Japanese (JA)

(51) International Patent Classification:

H04W 72/04 (2009.01)

(71) Applicant(s):

NTT DOCOMO, INC. [JP/JP]; 11-1, Nagatacho 2-chome, Chiyoda-ku, Tokyo 1006150 (JP) *(for all designated states)*

(72) Inventor(s):

YOSHIOKA, Shohei; c/o Intellectual Property Department, NTT DOCOMO, INC., SANNO PARK TOWER, 11-1, Nagatacho 2-chome, Chiyoda-ku, Tokyo 1006150 (JP)

TAKEDA, Kazuki; c/o Intellectual Property Department, NTT DOCOMO, INC., SANNO PARK TOWER, 11-1, Nagatacho 2-chome, Chiyoda-ku, Tokyo 1006150 (JP)

NAGATA, Satoshi; c/o Intellectual Property Department, NTT DOCOMO, INC., SANNO PARK TOWER, 11-1, Nagatacho 2-chome, Chiyoda-ku, Tokyo 1006150 (JP)

(74) Agent(s):

AOKI, Hiroyoshi; 5F, JS Ichigaya Bldg., 5-1, Goban-cho, Chiyoda-ku, Tokyo 1020076 (JP)

(54) Title (EN): USER TERMINAL AND RADIO COMMUNICATION METHOD

(54) Title (FR): TERMINAL UTILISATEUR ET PROCÉDÉ DE COMMUNICATION RADIO

(54) Title (JA): ユーザ端末及び無線通信方法

(57) Abstract:

(EN): The present invention has: a transmission unit that transmits uplink data and uplink control information using an uplink shared channel; and a control unit that controls multiplexing of the uplink control information such that the number of items of uplink control information multiplexed per prescribed block of the uplink data is less than or equal to the dispersion and/or a prescribed value.

(FR): La présente invention comprend : une unité de transmission qui transmet des données de contrôle de liaison montante et de données de liaison montante à l'aide d'un canal partagé de liaison montante ; et une unité de commande qui commande le multiplexage des informations de contrôle de liaison montante de telle sorte que le nombre d'éléments d'informations de contrôle de liaison montante multiplexés par bloc prescrit des données de liaison montante soit inférieur ou égal à la dispersion et/ou à une valeur prescrite.

(JA): 上りデータ及び上り制御情報を上り共有チャネルを利用して送信する送信部と、前記上りデータの所定ブロック毎に多重される上り制御情報の数が分散及び / 又は所定値以下となるように前記上り制御情報の多重を制御する制御部と、を有する。

International search report:

Received at International Bureau: 04 December 2017 (04.12.2017) [JP]

International Report on Patentability (IPRP) Chapter II of the PCT:

Not available

(81) Designated States:

AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW

European Patent Office (EPO) : AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR

African Intellectual Property Organization (OAPI) : BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG

African Regional Intellectual Property Organization (ARIPO) : BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW

Eurasian Patent Organization (EAPO) : AM, AZ, BY, KG, KZ, RU, TJ, TM