

# (12) International Application Status Report

**Received at International Bureau:** 26 December 2019 (26.12.2019)

**Information valid as of:** 24 April 2020 (24.04.2020)

**Report generated on:** 28 September 2020 (28.09.2020)

**(10) Publication number:**

WO2020/109700

**(43) Publication date:**

04 June 2020 (04.06.2020)

**(26) Publication language:**

French (FR)

**(21) Application Number:**

PCT/FR2019/052770

**(22) Filing Date:**

20 November 2019 (20.11.2019)

**(25) Filing language:**

French (FR)

**(31) Priority number(s):**

1872026 (FR)

**(31) Priority date(s):**

28 November 2018 (28.11.2018)

**(31) Priority status:**

Priority document received (in compliance with PCT Rule 17.1)

**(51) International Patent Classification:**

**B25B 15/00** (2006.01); **B25B 23/00** (2006.01)

**(71) Applicant(s):**

SAINT-GOBAIN PLACO [FR/FR]; Tour Saint-Gobain 12 Place de l'Iris 92400 Courbevoie (FR) *(for all designated states)*

**(72) Inventor(s):**

LOMBARD, Pierre; C/O Saint Gobain Recherche 39 Quai Lucien Lefranc 93303 AUBERVILLIERS (FR)

**(74) Agent(s):**

EX MATERIA; 2 rue Hélène Boucher 3eme etage droite 78280 GUYANCOURT (FR)

**(54) Title (EN):** SCREW TOOL COMPRISING AN ABRADING MEANS

**(54) Title (FR):** OUTIL DE VISSAGE COMPRENANT UN MOYEN D'ABRASION

**(57) Abstract:**

**(EN):** The invention relates to a screw tool (100) designed to rotate a screw (3) for attaching a building panel (4) to a support (5). The screw tool (100) according to the invention comprises at least one screwing tip (1) designed to engage with a head (31) of the attachment screw (3), and includes an abrading means (2) designed to rub against the building panel (4) in which the attachment screw (3) is housed.

**(FR):** L'invention concerne un outil de vissage (100) configuré pour mettre en rotation une vis de fixation (3) d'un panneau de construction (4) sur un support (5). L'outil de vissage (100) selon l'invention comprend au moins un embout de vissage (1) configuré pour coopérer avec une tête (31) de la vis de fixation (3), et il comprend un moyen d'abrasion (2) configuré pour frotter sur le panneau de construction (4) dans laquelle la vis de fixation (3) est logée.

**International search report:**

Received at International Bureau: 23 March 2020 (23.03.2020) [EP]

**International Report on Patentability (IPRP) Chapter II of the PCT:**

Not available

**(81) Designated States:**

AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW

European Patent Office (EPO) : AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR

African Intellectual Property Organization (OAPI) : BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG

African Regional Intellectual Property Organization (ARIPO) : BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW

Eurasian Patent Organization (EAPO) : AM, AZ, BY, KG, KZ, RU, TJ, TM