

(12) International Application Status Report

Received at International Bureau: 04 February 2020 (04.02.2020)

Information valid as of: 30 April 2020 (30.04.2020)

Report generated on: 01 October 2020 (01.10.2020)

(10) Publication number:

WO2020/112052

(43) Publication date:

04 June 2020 (04.06.2020)

(26) Publication language:

English (EN)

(21) Application Number:

PCT/TR2019/050687

(22) Filing Date:

16 August 2019 (16.08.2019)

(25) Filing language:

Turkish (TR)

(31) Priority number(s):

2018/18098 (TR)

(31) Priority date(s):

28 November 2018 (28.11.2018)

(31) Priority status:

Priority document received (in compliance with PCT Rule 17.1)

(51) International Patent Classification:

B62D 25/20 (2006.01)

(71) Applicant(s):

TIRSAN TREYLER SANAY# VE T#CARET ANON#M ##RKET# [TR/TR]; Adliye Köyü 1520 Nolu Sokak. No:3 54010 Arifiye/Sakarya (TR) *(for all designated states)*

(72) Inventor(s):

D#NDAR, Seyit; Adliye Köyü 1520 Nolu Sokak No:3 Arifiye/Sakarya (TR)

(74) Agent(s):

DESTEK PATENT, INC.; Konak Mahallesi #zmir Yolu Cad. Ruzi ## Merkezi No:95/1 B Nilüfer 16110 Bursa (TR)

(54) Title (EN): PLUGGABLE DAMPER FLOOR PROFILE

(54) Title (FR): PROFIL DE PLANCHER D'AMORTISSEURS ENFICHABLE

(57) Abstract:

(EN): The invention is the floor profile (3) of the aluminum box type dumpers used for the transportation of the construction materials, having a pluggable construction, wherein the invention relates to a floor profile body (11), which houses the other components on, at the side, or beneath itself, and bears the impact, abrasion and force effect by bearing the load on itself, contacting elements in different forms created on the floor profile body (11), the intermediate cross (12) located underneath the floor profile body (11), which supports the floor profile body (11) with regard to reinforcement and resistance, the intermediate cross reinforcement (16), which ensures that the main cross (12) is reinforced, the wedge homing protrusion (14), which makes sure that impact dampener element is attached to the floor profile body (11) with the interlocking method, and the wedge surface (13) located on the bottom surface of the wedge homing protrusion (14), which secures the impact dampener element.

(FR): L'invention concerne un profil de plancher (3) d'amortisseurs de type boîte en aluminium utilisé pour le transport des matériaux de construction, présentant une construction enfichable. L'invention comprenant un corps (11) de profil de plancher, qui loge les autres composants sur, à côté, ou au-dessous de celui-ci, et qui supporte l'effet de choc, d'abrasion et de force en supportant la charge sur celui-ci, en mettant en contact des éléments de différentes formes créés sur le corps (11) de profil de plancher, la traverse intermédiaire (12) située sous le corps (11) de profil de plancher, qui supporte le corps (11) de profil de plancher en termes de renfort et de résistance, le renfort (16) de traverse intermédiaire, qui assure le renfort de la traverse principale (12), la saillie (14) de guidage de coin, qui assure que l'élément amortisseur de chocs est fixé au corps (11) de profil de plancher avec le procédé d'inter-verrouillage, et la surface (13) de coin située sur la surface inférieure de la saillie (14) de guidage de coin, qui fixe l'élément amortisseur de chocs.

International search report:

Received at International Bureau: 29 April 2020 (29.04.2020) [TR]

International Report on Patentability (IPRP) Chapter II of the PCT:

Not available

(81) Designated States:

AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW

European Patent Office (EPO) : AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR

African Intellectual Property Organization (OAPI) : BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG

African Regional Intellectual Property Organization (ARIPO) : BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW

Eurasian Patent Organization (EAPO) : AM, AZ, BY, KG, KZ, RU, TJ, TM