

# (12) International Application Status Report

**Received at International Bureau:** 19 November 2019 (19.11.2019)

**Information valid as of:** 11 May 2020 (11.05.2020)

**Report generated on:** 24 September 2020 (24.09.2020)

**(10) Publication number:**

WO2020/117149

**(43) Publication date:**

11 June 2020 (11.06.2020)

**(26) Publication language:**

English (EN)

**(21) Application Number:**

PCT/TR2019/050275

**(22) Filing Date:**

24 April 2019 (24.04.2019)

**(25) Filing language:**

Turkish (TR)

**(31) Priority number(s):**

2018/18382 (TR)

**(31) Priority date(s):**

03 December 2018 (03.12.2018)

**(31) Priority status:**

Priority document received (in compliance with PCT Rule 17.1)

**(51) International Patent Classification:**

*E05D 5/02* (2006.01); *F25D 23/02* (2006.01)

**(71) Applicant(s):**

#PEK ENDÜSTR#YEL SO#UTMA S#STEMLER# ALÜM#NYUM NAKL#YAT TARIM HAYVANCILIK #THALAT #HRACAT SANAY# T#CARET L#M#TED ##RKET# [TR/TR]; Anaba#lar Mahallesi 1402 Sokak No:2 Seydi#ehir/Konya (TR) (for all designated states)

**(72) Inventor(s):**

KOYUN, Harun; Anaba#lar Mh. 1404 Sk. No:2 42360 Konya (TR)

**(74) Agent(s):**

DESTEK PATENT, INC.; Konak Mahallesi #zmir Yolu Cad. Ruzi ## Merkezi No:95/1 B Nilüfer 16110 Bursa (TR)

**(54) Title (EN):** CONCEALED HINGE

**(54) Title (FR):** CHARNIÈRE DISSIMULÉE

**(57) Abstract:**

**(EN):** The invention relates to a concealed hinge (100) which is designed to be used in industrial type cold storage depots and is protected from external interference by being positioned between the door and its casing. The most fundamental feature of the said 5 concealed hinge (100) is its positioning in the space between the door and the door frame of the cold storage depot. In this way, the door can be completely embedded in the frame. The embodiment of the concealed hinge (100) into the door and door frame prevents any unauthorized intervention from the outside and ensures the safety of the products inside the storage depot.

**(FR):** L'invention concerne une charnière dissimulée (100) qui est conçue pour être utilisée dans des entrepôts frigorifiques de type industriel et qui est protégée contre une interférence externe en étant positionnée entre la porte et son corps. La caractéristique la plus fondamentale de ladite charnière dissimulée (100) est son positionnement dans l'espace entre la porte et le cadre de porte de l'entrepôt frigorifique. De cette manière, la porte peut être complètement intégrée dans le cadre. Le mode de réalisation de la charnière dissimulée (100) dans la porte et le cadre de porte empêche toute intervention non autorisée de l'extérieur et assure la sécurité des produits à l'intérieur de l'entrepôt.

**International search report:**

Received at International Bureau: 11 February 2020 (11.02.2020) [TR]

**International Report on Patentability (IPRP) Chapter II of the PCT:**

Not available

**(81) Designated States:**

AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JO, JP, KE, KG, KH, KN, KP,

KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW

European Patent Office (EPO) : AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR

African Intellectual Property Organization (OAPI) : BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG

African Regional Intellectual Property Organization (ARIPO) : BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW

Eurasian Patent Organization (EAPO) : AM, AZ, BY, KG, KZ, RU, TJ, TM