

DOCUMENT MADE AVAILABLE UNDER THE PATENT COOPERATION TREATY (PCT)

International application number:	PCT/IL2015/000025
International filing date:	13 May 2015 (13.05.2015)
Document type:	Certified copy of priority document
Document details:	Country/Office: US
	Number: 62/001,045
	Filing date: 20 May 2014 (20.05.2014)
Date of receipt at the International Bureau:	12 June 2015 (12.06.2015)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a),(b) or (b-bis)

CERTIFICATE OF AVAILABILITY OF A CERTIFIED PATENT DOCUMENT IN A DIGITAL LIBRARY

The International Bureau certifies that a copy of the patent application indicated below has been available to the WIPO Digital Access Service since the date of availability indicated.

Document details: Country/Office: US
Filing date: 20 May 2014 (20.05.2014)
Application number: 62001045

Date of availability of document: 21 May 2015 (21.05.2015)

The following Offices can retrieve this document by using the access code:
AU, CN, ES, FI, GB, IB, JP, KR, SE, US, DK

Date of issue of this certificate: 12 Jun 2015 (12.06.2015)

111



THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

June 12, 2015

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE UNDER 35 USC 111.

APPLICATION NUMBER: 62/001,045
FILING DATE: May 20, 2014

THE COUNTRY CODE AND NUMBER OF YOUR PRIORITY APPLICATION, TO BE USED FOR FILING ABROAD UNDER THE PARIS CONVENTION, IS US62/001,045



Certified by

Under Secretary of Commerce
for Intellectual Property
and Director of the United States
Patent and Trademark Office

Doc Code: **TR.PROV**

Document Description: Provisional Cover Sheet (SB16)

PTO/SB/16 (11-08)

Approved for use through 05/31/2015. OMB 0651-0032

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

Provisional Application for Patent Cover Sheet					
This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53(c)					
Inventor(s)					
Inventor 1					<input type="button" value="Remove"/>
Given Name	Middle Name	Family Name	City	State	Country ;
Doron		RAINISH	Ramat Gan		IL
All Inventors Must Be Listed – Additional Inventor Information blocks may be generated within this form by selecting the Add button.					<input type="button" value="Add"/>
Title of Invention		A METHOD FOR REDUCING INTERFERENCE IN SATELLITE COMMUNICATIONS			
Attorney Docket Number (if applicable)		P074.US.Prov			
Correspondence Address					
Direct all correspondence to (select one):					
<input type="radio"/> The address corresponding to Customer Number			<input checked="" type="radio"/> Firm or Individual Name		
Firm or Individual Name 1			Alef. Gimel. – IP Consulting Ltd.		
Firm or Individual Name 2					
Mailing Address of Applicant:					
Address 1	P.O. Box 2079				
Address 2					
City	Rehovot	State/Province			
Postal Code	7612002	Country ;		IL	
Phone	972-89494500				

The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government.	
<input checked="" type="radio"/> No.	
<input type="radio"/> Yes, the invention was made by an agency of the United States Government. The U.S. Government agency name is:	
<input type="radio"/> Yes, the invention was under a contract with an agency of the United States Government. The name of the U.S. Government agency and Government contract number are:	

Doc Code: **TR.PROV**

Document Description: Provisional Cover Sheet (SB16)

PTO/SB/16 (11-08)

Approved for use through 05/31/2015. OMB 0651-0032

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

Entity Status

Applicant asserts small entity status under 37 CFR 1.27 or applicant certifies micro entity status under 37 CFR 1.29

- Applicant asserts small entity status under 37 CFR 1.27
- Applicant certifies micro entity status under 37 CFR 1.29. Applicant must attach form PTO/SB/15A or B or equivalent.
- No

Warning

Petitioner/applicant is cautioned to avoid submitting personal information in documents filed in a patent application that may contribute to identity theft. Personal information such as social security numbers, bank account numbers, or credit card numbers (other than a check or credit card authorization form PTO-2038 submitted for payment purposes) is never required by the USPTO to support a petition or an application. If this type of personal information is included in documents submitted to the USPTO, petitioners/applicants should consider redacting such personal information from the documents before submitting them to USPTO. Petitioner/applicant is advised that the record of a patent application is available to the public after publication of the application (unless a non-publication request in compliance with 37 CFR 1.213(a) is made in the application) or issuance of a patent. Furthermore, the record from an abandoned application may also be available to the public if the application is referenced in a published application or an issued patent (see 37 CFR 1.14). Checks and credit card authorization forms PTO-2038 submitted for payment purposes are not retained in the application file and therefore are not publicly available.

Signature

Please see 37 CFR 1.4(d) for the form of the signature.

Signature	/Gil Ingel/			Date (YYYY-MM-DD)	2014-05-20
First Name	Gil	Last Name	INGEL	Registration Number (If appropriate)	

This collection of information is required by 37 CFR 1.51. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. This form can only be used when in conjunction with EFS-Web. If this form is mailed to the USPTO, it may cause delays in handling the provisional application.**

Privacy Act Statement

The Privacy Act of 1974 (P.L. 93-579) requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that : (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

1. The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C. 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether disclosure of these records is required by the Freedom of Information Act.
2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

A Method for Reducing Interference in Satellite Communications

Field of the Disclosure

The present disclosure relates to the field of communications and in particular to
5 communications being held between satellites and terminals associated therewith.

Background of the invention

Interference occurring due to transmissions sent from/to neighbor satellites, using
the same frequencies as well as interference occurring due to communications transmitted
10 along satellites beams using the same frequencies, tend to degrade the reception
performance and to limit the maximal channel throughput.

Satellite communications' standards, such as DVB-S2 and DVB-S2x define a
continuous transmission in the forward link (transmissions being sent from the satellite(s)
towards the terminals), and define that whenever the (hub) transmitter has no data to
15 transmit, "dummy frames" will be transmitted. These dummy frames contain no
information, create interference to adjacent beams and satellites, and as a result increase
satellite power consumption.

Summary of the Disclosure

20 According to the solution provided by the present invention, in order to reduce
interference occurring due to transmissions sent from/to neighbor satellites using the
same frequencies and/or interference occurring due to communications transmitted along
satellites beams using the same frequencies, a method is provided whereby in a TDM
continuous satellite forward channel, such as DVB-S2 and DVB-S2x, dummy frames'
25 headers are transmitted or the dummy frames headers and pilot signals are transmitted
instead of full dummy frames. In addition, the dummy frames' headers and/or pilot
signals may be transmitted at a reduced power.

In accordance with another embodiment of this invention, the timing of the
dummy frames is optimized so that the system performance is enhanced (e.g. the system
30 throughput is increased). To this end, the transmitting timing of dummy frames, dummy
frames headers or dummy frames headers and pilot signals in each beam, in a multi beam

system, is controlled in such a way that the inter-beam interference is minimized (at the cost of some additional delays). That is, dummy frames are inserted in a beam, even if this beam's queue is not empty, in order to reduce interference to some frame or frames at another beam or beams. The decision on whether to insert a dummy frame, and thus delay
5 a frame, may depend on that frame time sensitivity or other quality of service parameters associated therewith.

According to prior art protocols, dummy frames are transmitted only when there is no data to send. In accordance with another embodiment of the present invention, dummy frames, dummy frame headers or dummy frames headers and pilot signals are
10 inserted at some of the beams (preferably at those that are less occupied with communications), also when there is data to send in order to reduce interference in other beams, at a cost of delaying the data frames.

Brief description of the drawings

15 The present invention will be more fully understood from the following detailed description of the embodiments thereof, taken together with the drawings in which:

FIG. 1 – illustrates a prior art transmission sequence of satellite communications;

FIG. 2 – demonstrates one embodiment of the solution provided by the present invention whereby only the header of dummy frames are transmitted together with pilot signals (in
20 the example illustrated in this Fig., two pilot signals are inserted during the interval at which the dummy frame's payload would have been transmitted if the prior art protocol illustrated in Fig. 1 were to be followed), instead of full dummy frame's payload;

FIG. 3 – demonstrates another embodiment of the solution provided by the present invention whereby only the header of dummy frames are transmitted instead of the full
25 dummy frames; and

FIG. 4 – illustrates yet another embodiment of the solution provided by the present invention whereby dummy frames are inserted at some of the beams also when there is data to send along these beams (illustrated at the right part of the FIG.), as opposed to a standard complying system (illustrated at the left part of the FIG.).

Claims

1. A method for reducing interference occurring due to transmissions sent from/to neighbor satellites using the same frequencies and/or interference occurring due to communications transmitted along satellites beams using the same frequencies, whereby
5 in a TDM continuous satellite forward channel, instead of transmitting full dummy frames, transmitting only their respective headers.
2. The method according to claim 1, further comprising a step of inserting at least one pilot sequence at at least one gap formed by transmitting only a dummy frame's
10 header rather than a full dummy frame that comprises said dummy frame's header and its respective payload.
3. The method according to claim 1, wherein said dummy frame's header is transmitted at a reduced power.
15
4. The method according to claim 1, wherein said at least one pilot signal is transmitted at a reduced power.
5. The method according to claim 1, further comprising a step of inserting dummy
20 frames at at least one of the beams when there is data to send along that at least one beam.

Abstract

The present invention provides a solution to reduce interference occurring due to transmissions sent from/to neighbor satellites using the same frequencies and/or interference occurring due to communications transmitted along satellites beams using the same frequencies, whereby in a TDM continuous satellite forward channel, such as DVB-S2 and DVB-S2x, only dummy frames' headers are transmitted or dummy frames' headers and pilot signals. In addition, the dummy frames' headers and/or pilot signals may be transmitted at a reduced power.




FIG 1 – PRIOR ART




FIG. 2



FIG. 3




FIG. 4